

Index of Authors

VOLUME 81 (EMG & Motor Control), 1991

- Abbruzzese, G., Morena, M., Dall'Agata, D., Abbruzzese, M. and Favale, E.
 Motor evoked potentials (MEPs) in lacunar syndromes (81) 202
- Abbruzzese, M., see Abbruzzese, G. (81) 202
- Ackermann, H., Scholz, E., Koehler, W. and Dichgans, J.
 Influence of posture and voluntary background contraction upon compound muscle action potentials from anterior tibial and soleus muscle following transcranial magnetic stimulation (81) 71
- Agostino, R., see Cruccu, G. (81) 24
- Agostino, R., see Fuhr, P. (81) 257
- Alaimo, M.A., see Booth, K.R. (81) 57
- Amassian, V.E., see Maccabee, P.J. (81) 224
- Andersen, A.B., see Lansing, R.W. (81) 167
- Bandinelli, S., see Cohen, L.G. (81) 366
- Becker, W.J., see Kunesch, E. (81) 337
- Beckley, D.J., Bloem, B.R., Remler, M.P., Roos, R.A.C. and Van Dijk, J.G.
 Long latency postural responses are functionally modified by cognitive set (81) 353
- Beckley, D.J., Bloem, B.R., Van Dijk, J.G., Roos, R.A.C. and Remler, M.P.
 Electrophysiological correlates of postural instability in Parkinson's disease (81) 263
- Benecke, R., see Britton, T.C. (81) 186
- Benecke, R., see Meyer, B.-U. (81) 38
- Berardelli, A., Inghilleri, M., Cruccu, G., Mercuri, B. and Manfredi, M.
 Electrical and magnetic transcranial stimulation in patients with corticospinal damage due to stroke or motor neurone disease (81) 389
- Berardelli, A., Inghilleri, M., Rothwell, J.C., Cruccu, G. and Manfredi, M.
 Multiple firing of motoneurons is produced by cortical stimulation but not by direct activation of descending motor tracts (81) 240
- Berardelli, A., see Cruccu, G. (81) 24
- Bernardi, G., see Caramia, M.D. (81) 243
- Bernardi, G., see Rossini, P.M. (81) 454
- Bischoff, C., Machetanz, J. and Conrad, B.
 Is there an age-dependent continuous increase in the duration of the motor unit action potential? (81) 304
- Bleasel, A.F. and Tuck, R.R.
 Variability of repeated nerve conduction studies (81) 417
- Blinkenberg, M., see Ravnborg, M. (81) 195
- Bloem, B.R., see Beckley, D.J. (81) 263, 353
- Bonnet, M., Requin, J. and Stelmach, G.E.
 Changes in electromyographic responses to muscle stretch, related to the programming of movement parameters (81) 135
- Booth, K.R., Streletz, L.J., Raab, V.E., Kerrigan, J.J., Alaimo, M.A. and Herbison, G.J.
 Motor evoked potentials and central motor conduction: studies of transcranial magnetic stimulation with recording from the leg (81) 57
- Branstetter, N.M., see Tofts, P.S. (81) 238
- Britton, T.C., Meyer, B.-U. and Benecke, R.
 Variability of cortically evoked motor responses in multiple sclerosis (81) 186
- Britton, T.C., see Meyer, B.-U. (81) 38
- Brown, D.A., see Kukulka, C.G. (81) 312
- Calne, D., see Eisen, A. (81) 209
- Caramia, M.D., Cicinelli, P., Paradiso, C., Mariorenzi, R., Zarola, F., Bernardi, G. and Rossini, P.M.
 'Excitability' changes of muscular responses to magnetic brain stimulation in patients with central motor disorders (81) 243
- Caramia, M.D., see Mariorenzi, R. (81) 90
- Caramia, M.D., see Rossini, P.M. (81) 454
- Caramia, M.D., see Tomberg, C. (81) 319
- Cheyne, D., see Kristeva, R. (81) 284
- Chokroverty, M., see Chokroverty, S. (81) 359
- Chokroverty, S., Picone, M.A. and Chokroverty, M.
 Percutaneous magnetic coil stimulation of human cervical vertebral column: site of stimulation and clinical application (81) 359
- Cicinelli, P., see Caramia, M.D. (81) 243
- Clanet, M., see Simonetta, M. (81) 129
- Cohen, L.G., Bandinelli, S., Sato, S., Kufta, C. and Hallett, M.
 Attenuation in detection of somatosensory stimuli by transcranial magnetic stimulation (81) 366
- Cohen, L.G., see Fuhr, P. (81) 81
- Cohen, L.G., see Roth, B.J. (81) 47
- Conrad, B., see Bischoff, C. (81) 304
- Cracco, R.Q., see Maccabee, P.J. (81) 224
- Cruccu, G., Pauletti, G., Agostino, R., Berardelli, A. and Manfredi, M.
 Masseter inhibitory reflex in movement disorders. Huntington's chorea, Parkinson's disease, dystonia, and unilateral masticatory spasm (81) 24
- Cruccu, G., see Berardelli, A. (81) 240
- Cruccu, G., see Berardelli, A. (81) 389
- Curio, G., Ern , S.N., Sandfort, J., Scheer, J., Stehr, R. and Trahms, L.
 Exploratory mapping of evoked neuromagnetic activity from human peripheral nerve, brachial plexus and spinal cord (81) 450
- Dahl, K., see Ravnborg, M. (81) 195
- Dall'Agata, D., see Abbruzzese, G. (81) 202
- Day, B.L., see Thompson, P.D. (81) 397
- Deecke, L., see Kristeva, R. (81) 284
- Dengler, R., see Elek, J.M. (81) 279
- Denny, M., see Smith, A. (81) 118
- Desmedt, J.E., see Tomberg, C. (81) 269
- Dichgans, J., see Ackermann, H. (81) 71
- Dioszeghy, P., see St lberg, E. (81) 403
- Dorfman, L.J., see McGill, K.C. (81) 8
- Dressler, D., see Thompson, P.D. (81) 397
- Eberle, L.P., see Maccabee, P.J. (81) 224
- Eisen, A., Siejka, S., Schulzer, M. and Calne, D.
 Age-dependent decline in motor evoked potential (MEP) amplitude: with a comment on changes in Parkinson's disease (81) 209

- Elek, J.M., Dengler, R., Konstanzer, A., Hesse, S. and Wolf, W.
Mechanical implications of paired motor unit discharges in pathological and voluntary tremor (81) 279
- Erné, S.N., see Curio, G. (81) 450
- Favale, E., see Abbruzzese, G. (81) 202
- Ferrari, E., see Rossini, P.M. (81) 454
- Freund, H.-J., see Kunesch, E. (81) 337
- Fuglsang-Frederiksen, A., see Jørgensen, S.Å. (81) 1
- Fuhr, P., Agostino, R. and Hallett, M.
Spinal motor neuron excitability during the silent period after cortical stimulation (81) 257
- Fuhr, P., Cohen, L.G., Roth, B.J. and Hallett, M.
Latency of motor evoked potentials to focal transcranial stimulation varies as a function of scalp positions stimulated (81) 81
- Gandolfo, C.N., see Segura, M.J. (81) 299
- Gatayama, T., see Hashimoto, I. (81) 102, 176, 332, 466
- Gluck, B., see Uncini, A. (81) 344
- Gootzen, T.H.J.M., Stegeman, D.F. and Van Oosterom, A.
Finite limb dimensions and finite muscle length in a model for the generation of electromyographic signals (81) 152
- Hallett, M., see Cohen, L.G. (81) 366
- Hallett, M., see Fuhr, P. (81) 81, 257
- Hallett, M., see Roth, B.J. (81) 47
- Harayama, H., Shinozawa, K., Kondo, H. and Miyatake, T.
A new method to measure the distribution of motor conduction velocity in man (81) 323
- Hashimoto, I., Gatayama, T., Tamaki, M., Ushijima, R., Yoshikawa, K., Sasaki, M., Nomura, M. and Isojima, H.
Multi-unit activity in sensory fibers is related to intensity of sensation evoked by air-puff stimulation of the glabrous hand in man (81) 466
- Hashimoto, I., Gatayama, T., Yoshikawa, K., Sasaki, M. and Nomura, M.
Compound activity in sensory nerve fibers is related to intensity of sensation evoked by air-puff stimulation of the index finger in man (81) 176
- Hashimoto, I., Odaka, K., Gatayama, T. and Yokoyama, S.
Multichannel measurements of magnetic compound action fields of the median nerve in man (81) 332
- Hashimoto, I., Yoshikawa, K., Sasaki, M., Gatayama, T. and Nomura, M.
Conduction velocity and temporal dispersion of the nerve volleys evoked by air-puff stimulation of the index finger and palm (81) 102
- Hayashi, R., see Tokuda, T. (81) 421
- Herbison, G.J., see Booth, K.R. (81) 57
- Hesse, S., see Elek, J.M. (81) 279
- Hömberg, V., Stephan, K.M. and Netz, J.
Transcranial stimulation of motor cortex in upper motor neurone syndrome: its relation to the motor deficit (81) 377
- Hömberg, V., see Huttunen, J. (81) 216
- Hömberg, V., see Müller, K. (81) 63
- Huttunen, J. and Hömberg, V.
Modification of cortical somatosensory evoked potentials during tactile exploration and simple active and passive movements (81) 216
- Iizuka, H., see Sakatani, K. (81) 108
- Ikeda, A., see Shibasaki, H. (81) 31
- Inghilleri, M., see Berardelli, A. (81) 240, 389
- Isojima, H., see Hashimoto, I. (81) 466
- Jørgensen, S.Å. and Fuglsang-Frederiksen, A.
Turns-amplitude analysis at different sampling frequencies (81) 1
- Kakigi, R., see Shibasaki, H. (81) 31
- Kasai, T. and Komiyama, T.
Antagonist inhibition during rest and precontraction (81) 427
- Kerrigan, J.J., see Booth, K.R. (81) 57
- Kloten, H., see Meyer, B.-U. (81) 38
- Koehler, W., see Ackermann, H. (81) 71
- Komiyama, T., see Kasai, T. (81) 427
- Kondo, H., see Harayama, H. (81) 323
- Konstanzer, A., see Elek, J.M. (81) 279
- Kossev, A.R., see Lansing, R.W. (81) 167
- Kraft, G.H.
Fibrillation potentials and positive sharp waves: are they the same? (81) 163
- Kristeva, R., Cheyne, D. and Deecke, L.
Neuromagnetic fields accompanying unilateral and bilateral voluntary movements: topography and analysis of cortical sources (81) 284
- Kufta, C., see Cohen, L.G. (81) 366
- Kujirai, T., see Uncini, A. (81) 344
- Kulkula, C.G., Brown, D.A. and Weightman, M.M.
An objective method for assessing graded electrically evoked afferent activity in humans (81) 312
- Kunesch, E., Becker, W.J. and Freund, H.-J.
Myoclonus and sensorimotor integration in a patient with Ramsay Hunt syndrome (81) 337
- Lai, K.S., see Maccabee, P.J. (81) 224
- Lansing, R.W., Solomon, N.P., Kossev, A.R. and Andersen, A.B.
Recording single motor unit activity of human nasal muscles with surface electrodes: applications for respiration and speech (81) 167
- Lau, K., see McGill, K.C. (81) 8
- Lauritzen, M., Liguori, R. and Trojaborg, W.
Orthodromic sensory conduction along the ring finger in normal subjects and in patients with a carpal tunnel syndrome (81) 18
- Lenard, H.-G., see Müller, K. (81) 63
- Levarlet-Joye, H., see Tomberg, C. (81) 269
- Liguori, R., see Lauritzen, M. (81) 18
- Maccabee, P.J., Amassian, V.E., Eberle, L.P., Rudell, A.P., Cracco, R.Q., Lai, K.S. and Somasundaram, M.
Measurement of the electric field induced into inhomogeneous volume conductors by magnetic coils: application to human spinal neurogeometry (81) 224
- Machetanz, J., see Bischoff, C. (81) 304
- Maertens de Noordhout, A., see Thompson, P.D. (81) 397
- Manfredi, M., see Berardelli, A. (81) 240, 389
- Manfredi, M., see Cruccu, G. (81) 24
- Margari, L., see Rossini, P.M. (81) 454
- Marioenzi, R., Zarola, F., Caramia, M.D., Paradiso, C. and Rossini, P.M.
Non-invasive evaluation of central motor tract excitability changes following peripheral nerve stimulation in healthy humans (81) 90
- Marioenzi, R., see Caramia, M.D. (81) 243
- Marsden, C.D., see Thompson, P.D. (81) 397
- McGill, K.C., Lau, K. and Dorfman, L.J.
A comparison of turns analysis and motor unit analysis in electromyography (81) 8
- Mercuri, B., see Berardelli, A. (81) 389
- Meyer, B.-U., Britton, T.C., Kloten, H., Steinmetz, H. and Benecke, R.
Coil placement in magnetic brain stimulation related to skull and brain anatomy (81) 38
- Meyer, B.-U., see Britton, T.C. (81) 186
- Miyatake, T., see Harayama, H. (81) 323
- Morena, M., see Abbruzzese, G. (81) 202

- Müller, K., Hömberg, V. and Lenard, H.-G.
Magnetic stimulation of motor cortex and nerve roots in children.
Maturation of cortico-motoneuronal projections (81) 63
- Murai, Y., see Uozumi, T. (81) 251
- Netz, J., see Hömberg, V. (81) 377
- Newton, J., see Smith, A. (81) 118
- Nomura, M., see Hashimoto, I. (81) 102, 176, 466
- Odaka, K., see Hashimoto, I. (81) 332
- Paradiso, C., see Caramia, M.D. (81) 243
- Paradiso, C., see Mariorenzi, R. (81) 90
- Paradiso, C., see Rossini, P.M. (81) 454
- Pauletti, G., see Cruccu, G. (81) 24
- Picone, M.A., see Chokroverty, S. (81) 359
- Pullman, S., see Uncini, A. (81) 344
- Raab, V.E., see Booth, K.R. (81) 57
- Rascol, O., see Simonetta, M. (81) 129
- Ravnborg, M., Blinkenberg, M. and Dahl, K.
Standardization of facilitation of compound muscle action potentials evoked by magnetic stimulation of the cortex. Results in healthy volunteers and in patients with multiple sclerosis (81) 195
- Remler, M.P., see Beckley, D.J. (81) 263, 353
- Requin, J., see Bonnet, M. (81) 135
- Ronai, A.K., see Toleikis, J.R. (81) 443
- Roos, R.A.C., see Beckley, D.J. (81) 263, 353
- Rossini, P.M., Paradiso, C., Zarola, F., Bernardi, G., Caramia, M.D., Margari, L. and Ferrari, E.
Brain excitability and long latency muscular arm responses: non-invasive evaluation in healthy and parkinsonian subjects (81) 454
- Rossini, P.M., see Caramia, M.D. (81) 243
- Rossini, P.M., see Mariorenzi, R. (81) 90
- Roth, B.J., Saypol, J.M., Hallett, M. and Cohen, L.G.
A theoretical calculation of the electric field induced in the cortex during magnetic stimulation (81) 47
- Roth, B.J., see Fuhr, P. (81) 81
- Rothwell, J.C., see Berardelli, A. (81) 240
- Rothwell, J.C., see Thompson, P.D. (81) 397
- Rudell, A.P., see Maccabee, P.J. (81) 224
- Sakatani, K., Iizuka, H. and Young, W.
Randomized double pulse stimulation for assessing stimulus frequency-dependent conduction in injured spinal and peripheral axons (81) 108
- Sandfort, J., see Curio, G. (81) 450
- Sasaki, M., see Hashimoto, I. (81) 102, 176, 466
- Sato, S., see Cohen, L.G. (81) 366
- Saypol, J.M., see Roth, B.J. (81) 47
- Scheer, J., see Curio, G. (81) 450
- Scholz, E., see Ackermann, H. (81) 71
- Schulzer, M., see Eisen, A. (81) 209
- Segura, M.J., Gandolfo, C.N. and Sica, R.E.P.
Percutaneous cervical stimulation: effects on intraspinal structures (81) 299
- Shibasaki, H., Kakigi, R. and Ikeda, A.
Scalp topography of giant SEP and pre-myoclonus spike in cortical reflex myoclonus (81) 31
- Shinozawa, K., see Harayama, H. (81) 323
- Sica, R.E.P., see Segura, M.J. (81) 299
- Siejka, S., see Eisen, A. (81) 209
- Simonetta, M., Clanet, M. and Rascol, O.
Bereitschaftspotential in a simple movement or in a motor sequence starting with the same simple movement (81) 129
- Sloan, T.B., see Toleikis, J.R. (81) 443
- Smith, A., Weber, C.M., Newton, J. and Denny, M.
Developmental and age-related changes in reflexes of the human jaw-closing system (81) 118
- Solomon, N.P., see Lansing, R.W. (81) 167
- Somasundaram, M., see Maccabee, P.J. (81) 224
- Stålberg, E. and Dioszeghy, P.
Scanning EMG in normal muscle and in neuromuscular disorders (81) 403
- Stegeman, D.F., see Gootzen, T.H.J.M. (81) 152
- Stehr, R., see Curio, G. (81) 450
- Steinmetz, H., see Meyer, B.-U. (81) 38
- Stelmach, G.E., see Bonnet, M. (81) 135
- Stephan, K.M., see Hömberg, V. (81) 377
- Streletz, L.J., see Booth, K.R. (81) 57
- Tako, K., see Tokuda, T. (81) 421
- Tamaki, M., see Hashimoto, I. (81) 466
- Thompson, P.D., Day, B.L., Rothwell, J.C., Dressler, D., Maertens de Noordhout, A. and Marsden, C.D.
Further observations on the facilitation of muscle responses to cortical stimulation by voluntary contraction (81) 397
- Tofts, P.S. and Branston, N.M.
The measurement of electric field, and the influence of surface charge, in magnetic stimulation (81) 238
- Tokuda, T., Tako, K., Hayashi, R. and Yanagisawa, N.
Disturbed modulation of the stretch reflex gain during standing in cerebellar ataxia (81) 421
- Toleikis, J.R., Sloan, T.B. and Ronai, A.K.
Optimal transcranial magnetic stimulation sites for the assessment of motor function (81) 443
- Tomberg, C. and Caramia, M.D.
Prime mover muscle in finger lift or finger flexion reaction times: identification with transcranial magnetic stimulation (81) 319
- Tomberg, C., Levarlet-Joye, H. and Desmedt, J.E.
Reaction times recording methods: reliability and EMG analysis of patterns of motor commands (81) 269
- Trahms, L., see Curio, G. (81) 450
- Trojaborg, W., see Lauritzen, M. (81) 18
- Tsuji, S., see Uozumi, T. (81) 251
- Tuck, R.R., see Bleasel, A.F. (81) 417
- Uncini, A., Kujirai, T., Gluck, B. and Pullman, S.
Silent period induced by cutaneous stimulation (81) 344
- Uozumi, T., Tsuji, S. and Murai, Y.
Motor potentials evoked by magnetic stimulation of the motor cortex in normal subjects and patients with motor disorders (81) 251
- Ushijima, R., see Hashimoto, I. (81) 466
- Van Dijk, J.G., see Beckley, D.J. (81) 263, 353
- Van Oosterom, A., see Gootzen, T.H.J.M. (81) 152
- Weber, C.M., see Smith, A. (81) 118
- Weightman, M.M., see Kukulka, C.G. (81) 312
- White, J.C.
The ubiquity of contraction enhanced H reflexes: normative data and use in the diagnosis of radiculopathies (81) 433
- Wolf, W., see Elek, J.M. (81) 279
- Yanagisawa, N., see Tokuda, T. (81) 421
- Yokoyama, S., see Hashimoto, I. (81) 332
- Yoshikawa, K., see Hashimoto, I. (81) 102, 176, 466
- Young, W., see Sakatani, K. (81) 108
- Zarola, F., see Caramia, M.D. (81) 243
- Zarola, F., see Mariorenzi, R. (81) 90
- Zarola, F., see Rossini, P.M. (81) 454



Index of Subjects

VOLUME 81 (EMG & Motor Control), 1991

(Abstracts from Society Proceedings are not included)

Action fields

- magnetic compound action potentials, 332

Action potentials

- age and motor unit action potential duration, 304
- facilitation during cortical stimulation, 195
- magnetic compound action potentials, 332
- motor conduction velocity distribution, 323
- postural facilitation of motor EPs, 71
- repeated nerve conduction studies, 417

Activation sequence

- postural reflexes in Parkinson's disease, 263

Active movement

- SEP modification by movement, 216

Afferent activity

- compound nerve activity in intensity coding, 176
- graded electrically evoked afferent activity, 312

Aging

- age and motor unit action potential duration, 304
- age-dependent decline in motor EPs amplitude, 209
- reflexes of the human jaw-closing system, 118

Air puff

- compound nerve activity in intensity coding, 176
- conduction velocity of air-puff evoked nerve volleys, 102

Ankle

- antagonist inhibition during rest and precontraction, 427
- antagonist inhibition during rest and precontraction, 427

Ataxia

- stretch reflex gain in cerebellar ataxia, 421

Automated analysis

- turns analysis vs. motor unit analysis, 8

Axonal dysfunction

- assessment of frequency-dependent conduction changes, 108

Ballistic motor command

- reaction time recording methods, 269

Bereitschaftspotentials and motor task complexity, 129

Brain-stem

- multiple firing of motoneurons, 240

Carpal tunnel syndrome

- orthodromic sensory conduction, 18

Central motor conduction

- age-dependent decline in motor EP amplitude, 209
- facilitation during cortical stimulation, 195
- motor EPs and central conduction time in the leg, 57
- motor EPs in lacunar syndromes, 202
- variability of motor EPs in multiple sclerosis, 186

Cerebellum

- myoclonus and sensorimotor integration, 337
- stretch reflex gain in cerebellar ataxia, 421

Cervical

- magnetic stimulation of cervical vertebral column, 359
- percutaneous cervical stimulation, 299

Children

- magnetic stimulation of motor cortex, 63
- reflexes of the human jaw-closing system, 118

Cognitive processes

- long-latency reflexes are modified by cognitive set, 353

Collision technique

- motor conduction velocity distribution, 323

Conduction

- assessment of frequency-dependent conduction changes, 108
- conduction velocity of air-puff evoked nerve volleys, 102
- facilitation during cortical stimulation, 195
- motor conduction velocity distribution, 323
- motor EPs and central conduction time in the leg, 57
- orthodromic sensory conduction, 18
- repeated nerve conduction studies, 417
- threshold excitability for MEPs in motor disorders, 243
- variability of motor EPs in multiple sclerosis, 186

Cortex

- electric field induced during magnetic stimulation, 47
- multiple firing of motoneurons, 240

Cortical reflex myoclonus

- mapping of giant SEP and pre-myoclonus spike, 31

Corticospinal

- latency in focal magnetic brain stimulation, 81
- magnetic stimulation in corticospinal damage, 389
- magnetic stimulation of motor cortex in children, 63
- motor EPs and central conduction time in the leg, 57
- multiple firing of motoneurons, 240
- nerve conditioning stimulation and brain TCS, 90

Cutaneous afferents

- silent period from cutaneous stimulation, 344

Depolarization

- magnetic compound action potentials, 332

Development

- reflexes of the human jaw-closing system, 118

Diagnostic value

- ubiquity of contraction enhanced H reflexes, 433

Dorsal column

- assessment of frequency-dependent conduction changes, 108
- magnetic stimulation of cervical vertebral column, 359

Dystonia

- masseter inhibitory reflex in movement disorders, 24

EEG

- Bereitschaftspotential and motor task complexity, 129

Electrical stimulation

- in corticospinal damage or motor neurone disease, 389
- magnetic stimulation and somatosensory detection, 366
- silent period from cutaneous stimulation, 344
- single motor units and cortical stimuli, 397

Electric field

- induced during magnetic stimulation, 47
- in magnetic stimulation, 238
- human spinal neurogeometry, 224

Electrode placement

- coil placement in magnetic brain stimulation, 38

EMG

- age and motor unit action potential duration, 304
- antagonist inhibition during rest and precontraction, 427
- fibrillation potentials and positive sharp waves, 163
- finite limb and muscle dimensions in EMG modelling, 152
- long-latency reflexes are modified by cognitive set, 353
- long-loop reflexes and motor programming, 135
- myoclonus and sensorimotor integration, 337
- nasal motor units in respiration and speech, 167
- postural reflexes in Parkinson's disease, 263
- prime mover muscle in RT studies, 319
- reaction time recording methods, 269
- sampling frequency for turns-amplitude analysis, 1
- scanning EMG in neuromuscular disorders, 403
- silent period from cutaneous stimulation, 344
- stretch reflex gain in cerebellar ataxia, 421
- turns analysis vs. motor unit analysis, 8

Epilepsy

- mapping of giant SEP and pre-myoclonus spike, 31
- myoclonus and sensorimotor integration, 337

Evoked potentials

- assessment of frequency-dependent conduction changes, 108
- graded electrically evoked afferent activity, 312
- myoclonus and sensorimotor integration, 337
- nerve conditioning stimulation and brain TCS, 90
- somatosensory, *see* Somatosensory evoked potentials

Excitability

- brain excitability and long-latency muscular responses, 454
- threshold excitability for MEPs in motor disorders, 243

Fibrillation potentials and positive sharp waves, 163**Finger**

- compound nerve activity in intensity coding, 176
- orthodromic sensory conduction, 18
- prime mover muscle in RT studies, 319
- reaction time recording methods, 269
- topography of movement-related magnetic fields, 284

Finite limb and muscle dimensions in EMG modelling, 152**F wave**

- magnetic stimulation of cervical vertebral column, 359
- motor EPs and central conduction time in the leg, 57

Giant SEP mapping and pre-myoclonus spike, 31**Hand**

- conduction velocity of air-puff evoked nerve volleys, 102
- multi-unit activity in hand sensory fibres, 466

Hemiparesis

- motor EPs in lacunar syndromes, 202

Hemiplegia

- MS in corticospinal damage or motor neurone disease, 389

Hemispheric dominance

- topography of movement-related magnetic fields, 284

Hoffmann reflex

- antagonist inhibition during rest and precontraction, 427
- silent period after magnetic brain stimulation, 257
- stretch reflex gain in cerebellar ataxia, 421
- ubiquity of contraction enhanced H reflexes, 433

Huntington's disease

- masseter inhibitory reflex in movement disorders, 24

Inhibitory period

- MEPs and magnetic stimulation of motor cortex, 251
- silent period after magnetic brain stimulation, 257

Intensity coding

- compound nerve activity in intensity coding, 176
- multi-unit activity in hand sensory fibres, 466

Jaw-closing system

- reflexes of the human jaw-closing system, 118

Lacunar syndromes and motor EPs, 202**Lesions**

- assessment of frequency-dependent conduction changes, 108

Long-latency components

- brain excitability and long-latency muscular responses, 454

Long-latency reflexes

- long-latency reflexes are modified by cognitive set, 353
- postural reflexes in Parkinson's disease, 263

Long-loop responses

- nerve conditioning stimulation and brain TCS, 90

Magnetic field

- magnetic compound action potentials, 332

Magnetic resonance imaging

- coil placement in magnetic brain stimulation, 38

Magnetic stimulation

- age-dependent decline in motor EPs amplitude, 209
- and motor evoked potentials, 251
- and somatosensory detection, 366
- and the induced electric field, 47, 238
- brain excitability and long-latency muscular responses, 454
- coil placement, 38
- facilitation during cortical stimulation, 195
- for assessment of motor function, 443
- human spinal neurogeometry, 224
- in upper motor neurone syndrome, 377
- latency in focal brain stimulation, 81
- motor EPs and central conduction time in the leg, 57
- MS in corticospinal damage or motor neurone disease, 389
- multiple firing of motoneurons, 240
- nerve conditioning stimulation and brain TCS, 90
- of cervical vertebral column, 359
- of motor cortex in children, 63
- postural facilitation of motor EPs, 71
- prime mover muscle in RT studies, 319
- silent period after brain stimulation, 257
- single motor units and cortical stimuli, 397
- threshold excitability for MEPs in motor disorders, 243
- variability of motor EPs in multiple sclerosis, 186

Magnetoencephalogram

- topography of movement-related magnetic fields, 284

Magnetospinogram

- mapping of evoked neuromagnetic activity, 450

Mapping, *see* Topographic mapping**Masticatory muscle**

- masseter inhibitory reflex in movement disorders, 24

Maturation

- magnetic stimulation of motor cortex in children, 63
- *see also* Retardation

Mechanical stimulation

- reflexes of the human jaw-closing system, 118

Median nerve

- brain excitability and long-latency muscular responses, 454
- magnetic compound action potentials, 332
- mapping of evoked neuromagnetic activity, 450
- orthodromic sensory conduction, 18

Modelling

- electric field induced during magnetic stimulation, 47
- finite limb and muscle dimensions in EMG modelling, 152

Motor action potentials

- turns analysis vs. motor unit analysis, 8

Motor conduction

- motor conduction velocity distribution, 323
- repeated nerve conduction studies, 417

Motor control

- long-latency reflexes are modified by cognitive set, 353

Motor cortex

- brain excitability and long-latency muscular responses, 454
- cerebral stimulation in upper motor neurone syndrome, 377
- magnetic stimulation in children, 63
- multiple firing of motoneurons, 240
- prime mover muscle in RT studies, 319
- single motor units and cortical stimuli, 397
- topography of movement-related magnetic fields, 284
- variability of motor EPs in multiple sclerosis, 186

Motor disorders

- cerebral stimulation in upper motor neurone syndrome, 377
- MEPs and magnetic stimulation of motor cortex, 251
- threshold excitability for MEPs, 243

Motor evoked potentials

- age-dependent decline in MEPs amplitude, 209
- and central conduction time in the leg, 57
- assessment of motor function, 443
- facilitation during cortical stimulation, 195
- in corticospinal damage or motor neurone disease, 389
- in lacunar syndromes, 202
- latency in focal magnetic brain stimulation, 81
- MEPs and magnetic stimulation of motor cortex, 251
- percutaneous cervical stimulation, 299
- postural facilitation, 71
- threshold excitability for MEPs in motor disorders, 243
- variability of MEPs in multiple sclerosis, 186

Motor neurone

- cerebral stimulation in upper motor neurone syndrome, 377
- MS in corticospinal damage or motor neurone disease, 389
- percutaneous cervical stimulation, 299
- silent period after magnetic brain stimulation, 257

Motor pathways

- cerebral stimulation in upper motor neurone syndrome, 377
- MEPs and magnetic stimulation of motor cortex, 251
- motor conduction velocity distribution, 323
- threshold excitability for MEPs in motor disorders, 243

Motor preparation, *see* Preparation to movement

Motor programming

- long-loop reflexes and motor programming, 135

Motor responses

- coil placement in magnetic brain stimulation, 38

Motor sequence

- antagonist inhibition during rest and precontraction, 427
- Bereitschaftspotential and motor task complexity, 129
- reaction times recording methods, 269

Motor unit

- age and motor unit action potential duration, 304
- finite limb and muscle dimensions in EMG modelling, 152
- multiple firing of motoneurons, 240
- nasal motor units in respiration and speech, 167
- paired motor unit discharges in tremor, 279
- scanning EMG in neuromuscular disorders, 403
- single motor units and cortical stimuli, 397

Movement

- prime mover muscle in RT studies, 319
- reaction times recording methods, 269
- SEP modification by movement, 216
- topography of movement-related magnetic fields, 284
- *see also* Preparation to movement

Multiple sclerosis

- facilitation during cortical stimulation, 195
- threshold excitability for MEPs, 243
- variability of motor EPs, 186
- Multiple unit activity in hand sensory fibres, 466

Muscle

- facilitation during cortical stimulation, 195
- motor conduction velocity distribution, 323
- postural facilitation of motor EPs, 71
- prime mover muscle in RT studies, 319
- repeated nerve conduction studies, 417
- sampling frequency for turns-amplitude analysis, 1
- scanning EMG in neuromuscular disorders, 403
- turns analysis vs. motor unit analysis, 8

Muscular dystrophy

- scanning EMG in neuromuscular disorders, 403

Myoclonus

- and sensorimotor integration, 337
- mapping of giant SEP and pre-myoclonus spike, 31

Myopathy

- sampling frequency for turns-amplitude analysis, 1
- turns analysis vs. motor unit analysis, 8

Nasal motor units in respiration and speech, 167

Nerve

- conduction velocity of air-puff evoked nerve volleys, 102
- latency in focal magnetic brain stimulation, 81
- magnetic stimulation of motor cortex in children, 63
- nerve conditioning stimulation and brain TCS, 90
- prime mover muscle in RT studies, 319
- repeated nerve conduction studies, 417
- *see also* Conduction

Neuromuscular diseases

- scanning EMG in neuromuscular disorders, 403

Neuropathy

- silent period after magnetic brain stimulation, 257

Normal human subjects

- age and motor unit action potential duration, 304
- age-dependent decline in motor EPs amplitude, 209
- Bereitschaftspotential and motor task complexity, 129
- coil placement in magnetic brain stimulation, 38
- compound nerve activity in intensity coding, 176
- conduction velocity of air-puff evoked nerve volleys, 102
- facilitation during cortical stimulation, 195
- graded electrically evoked afferent activity, 312
- latency in focal magnetic brain stimulation, 81
- long-latency reflexes are modified by cognitive set, 353
- magnetic compound action potentials, 332
- magnetic stimulation and somatosensory detection, 366
- magnetic stimulation for assessment of motor function, 443
- magnetic stimulation of motor cortex in children, 63

- mapping of evoked neuromagnetic activity, 450
- MEPs and magnetic stimulation of motor cortex, 251
- motor conduction velocity distribution, 323
- motor EPs and central conduction time in the leg, 57
- multiple firing of motoneurons, 240
- nasal motor units in respiration and speech, 167
- nerve conditioning stimulation and brain TCS, 90
- orthodromic sensory conduction, 18
- postural facilitation of motor EPs, 71
- reflexes of the human jaw-closing system, 118
- repeated nerve conduction studies, 417
- scanning EMG in neuromuscular disorders, 403
- SEP modification by movement, 216
- silent period after magnetic brain stimulation, 257
- spinal neurogeometry, 224
- topography of movement-related magnetic fields, 284
- ubiquity of contraction enhanced H reflexes, 433

Old age, *see* Aging

Oral sensorimotor system

- reflexes of the human jaw-closing system, 118

Paired motor unit discharges in tremor, 279

Parkinson's disease

- age-dependent decline in motor EPs amplitude, 209
- brain excitability and long-latency muscular responses, 454
- masseter inhibitory reflex in movement disorders, 24
- paired motor unit discharges in tremor, 279
- postural reflexes, 263

Plexus brachialis

- mapping of evoked neuromagnetic activity, 450

Positive sharp waves and fibrillation potentials, 163

Posture

- long-latency reflexes are modified by cognitive set, 353
- postural facilitation of motor EPs, 71
- postural reflexes in Parkinson's disease, 263
- stretch reflex gain in cerebellar ataxia, 421

Precuing techniques

- long-loop reflexes and motor programming, 135

Pre-myoclonus spike

- mapping of giant SEP and pre-myoclonus spike, 31

Preparation to movement

- antagonist inhibition during rest and precontraction, 427
- Bereitschaftspotential and motor task complexity, 129

Psychophysical magnitude estimation

- compound nerve activity in intensity coding, 176
- multi-unit activity in hand sensory fibres, 466

Pyramidal tract

- percutaneous cervical stimulation, 299

Quantitative EMG

- sampling frequency for turns-amplitude analysis, 1
- turns analysis vs. motor unit analysis, 8

Radiculopathy

- magnetic stimulation of cervical vertebral column, 359
- ubiquity of contraction enhanced H reflexes, 433

Ramsay-Hunt syndrome

- myoclonus and sensorimotor integration, 337

Rat

- assessment of frequency-dependent conduction changes, 108

Reaction time

- long-loop reflexes and motor programming, 135
- prime mover muscle in RT studies, 319
- reaction time recording methods, 269

Readiness field

- topography of movement-related magnetic fields, 284

Reafference

- topography of movement-related magnetic fields, 284

Receptor delay

- conduction velocity of air-puff evoked nerve volleys, 102

Recruitment

- compound nerve activity in intensity coding, 176

Reflexes

- masseter inhibitory reflex in movement disorders, 24
- postural reflexes in Parkinson's disease, 263
- reflexes of the human jaw-closing system, 118

Refractory period

- motor conduction velocity distribution, 323

Reinnervation

- scanning EMG in neuromuscular disorders, 403

Respiration and nasal motor units, 167

Sampling frequency for turns-amplitude analysis, 1

Scanning EMG in neuromuscular disorders, 403

Sensorimotor integration

- and myoclonus, 337
- SEP modification by movement, 216

Sensory conduction

- orthodromic sensory conduction, 18
- repeated nerve conduction studies, 417

Sensory deficit

- silent period after magnetic brain stimulation, 257

Sensory nerve

- compound nerve activity in intensity coding, 176

Sensory nerve action potentials

- conduction velocity of air-puff evoked nerve volleys, 102
- multi-unit activity in hand sensory fibres, 466
- repeated nerve conduction studies, 417

Silent period

- after magnetic brain stimulation, 257
- from cutaneous stimulation, 344
- masseter inhibitory reflex in movement disorders, 24

Single fibre

- finite limb and muscle dimensions in EMG modelling, 152
- scanning EMG in neuromuscular disorders, 403

Skin sensation

- compound nerve activity in intensity coding, 176

Somatosensory evoked potentials

- brain excitability and long-latency muscular responses, 454
- mapping of giant SEP and pre-myoclonus spike, 31
- motor EPs in lacunar syndromes, 202
- nerve conditioning stimulation and brain TCS, 90
- SEP modification by movement, 216

Somatosensory detection and magnetic stimulation, 366

Source localization

- topography of movement-related magnetic fields, 284

Spasticity

- threshold excitability for MEPs in motor disorders, 243

Spatial distribution, *see* Topographic mapping

Spatial recruitment

- multi-unit activity in hand sensory fibres, 466

Speech and nasal motor units, 167

Spike

- mapping of giant SEP and pre-myoclonus spike, 31

Spinal cord

- assessment of frequency-dependent conduction changes, 108
- human spinal neurogeometry, 224
- magnetic stimulation of cervical vertebral column, 359
- mapping of evoked neuromagnetic activity, 450
- percutaneous cervical stimulation, 299
- silent period after magnetic brain stimulation, 257

Spinocerebellar degeneration

- stretch reflex gain in cerebellar ataxia, 421

Stretch reflex

- long-loop reflexes and motor programming, 135
- stretch reflex gain in cerebellar ataxia, 421

Stroke

- motor EPs in lacunar syndromes, 202
- MS in corticospinal damage or motor neurone disease, 389

Sural nerve

- graded electrically evoked afferent activity, 312

Surface charge

- electric field in magnetic stimulation, 238

Tactile stimulation

- compound nerve activity in intensity coding, 176
- multi-unit activity in hand sensory fibres, 466

Temperature

- repeated nerve conduction studies, 417

Topographic mapping

- coil placement in magnetic brain stimulation, 38
- mapping of giant SEP and pre-myoclonus spike, 31
- of evoked neuromagnetic activity, 450

Transcranial brain stimulation

- silent period from cutaneous stimulation, 344
- *see also* Magnetic stimulation

Tremor and paired motor unit discharges, 279

Trigeminal system

- masseter inhibitory reflex in movement disorders, 24

Turns analysis

- sampling frequency for turns-amplitude analysis, 1
- turns analysis vs. motor unit analysis, 8

Twitch summation

- paired motor unit discharges in tremor, 279

Ulnar nerve

- orthodromic sensory conduction, 18

Upper motor neurone syndrome

- cerebral stimulation in upper motor neurone syndrome, 377

Volume conductor model

- finite limb and muscle dimensions in EMG modelling, 152
- human spinal neurogeometry, 224

Voluntary facilitation

- single motor units and cortical stimuli, 397